

# Compact LGX Wall Mount Fiber Optic Enclosure For 12 LGX Adapter Panels

# **Basic Information**

Place of Origin: Shenzhen, China
Brand Name: FIBERMANIA
Certification: CE, RoHS
Model Number: FWE-12SC-BK
Minimum Order Quantity: 10 Pieces
Price: Negotiable
Packaging Details: PE Bag+Carton

• Payment Terms: T/T, Western Union, L/C

Supply Ability: 1000 Pieces



# **Product Specification**

Product Type: Wall Mount Fiber Optic Enclosure
 Capacity: Suitable For 12 LGX Adapter Panels

• Fiber Capacity: 72 X SC Single Fibers

• Cable Entry Direction: Rear Entry

Coating: Electrostatic Polyester Powder Coat Paint

Material: 1.6mm Gauge SteelDimensions (HxWxD): 400x500x165mm

• Color: Black

• Highlight: LGX Wall Mount Fiber Optic Enclosure,

Compact Wall Mount Fiber Optic Enclosure, RoHS Fiber Optic Wall Mount Enclosure



## **Product Description**

#### Wall Mount Fiber Enclosure Holds 12 LGX Adapter Panels Black

The wall-mounted interconnect fiber enclosure is perfectly suited for the storage, protection, termination, and splicing of optical fiber cables in applications with limited mounting space, such as main cross-connects and telecommunication rooms. This enclosure can accommodate up to 12 LGX series fiber adapter panels or MPO modular cassettes. It is designed with a thoughtfully engineered solution for fiber and cable management at both the ingress and egress openings, providing a convenient convergence point for interconnecting and splicing, ensuring efficient organization and accessibility.

#### **Features**

- 1. Screwless adapter mounting, quick and convenient.
- 2. 45° plastic panel, can be changed according to the cable managing directions.
- 3. Plastic panel able to fit different adapters interface, such as SC, FC, ST, E2000, LC, MU etc.
- 4. Fiber Cable is fixed by screw to tight, more solid.
- 5. All cable inlets/outlets with rubber seal.

#### **Applications**

LAN, WAN and Metro Networks FTTH project & FTTX Deployments CATV System GPON, EPON Fiber Optic Test Equipment Data-base Transmit Broadband Net

#### **Specifications**

Fiber Capacity of panel	12-144 core(12 24 48 port usually)
Panel Connector	SC LC ST FC
Туре	Sliding Fixed
Dimension	19" 1U/2U/3U/4U
Material	Cold Rolled Steel or Aluminum
Storage Temperature	-45~+65°C
Thickness	1.0 1.2 mm
Accessories	Cable ties, mounting ear screws, and spiral wrap tube



Q1: What is the warranty of FiberMania's fiber patch cord?

A: FiberMania warrants that all fiber patch cords supplied are free from defects in material and workmanship for a period of five (5) years from the date of supply. All fiber optic bulk cables are UL profiled and every single cable is 100% tested.

Q2: Is it possible to customize our brand information on your fiber cable?

A: Yes, we can print your brand name onto our cable jacket and 1KM total cable length is requested.

Q3: Can you do 3D interferometer test?

A: Yes, we do the 3D test per our customer's request, we can have the pass rate over 90% and even 100% if necessary.

Q4: What is your MOQ of your products?

A: We only have MOQ for some special customized cable order, we request 1km as the total length of the bulk cable, you may consider stock the bulk cable with us for your urgent order production.

Q5: Are free samples available from you?

A: Yes, we are always happy to offer the free samples for all of our customers' projects provided that the total cost is under 50 US dollars.

## Q6: Do you accept OEM and ODM orders?

A: Absolutely yes, we have been doing OEM services since we start in this business, and for every single label, printing, bag and carton design, we always treat it seriously and do it nicely. Our engineers can help you with your current design and even can open the new tooling for your

# FIBERMANIA Shenzhen FiberMania Technology Co., Ltd.

17704025189

sales@fiber-mania.com



e optical-fibercables.com

3F, Building A2, Yinlong Industrial Park, Longdong, Longgang District, Shenzhen, China, 518116