

# IP65 FTTH Fiber Optic Termination Box 1 Port SC APC Single Mode Type Plastic Housing

#### **Basic Information**

. Place of Origin: Shenzhen, China Brand Name: **FIBERMANIA** ISO, UL, CE, RoHS · Certification: Model Number: FTB11-SC-1 • Minimum Order Quantity: 10 Pieces • Price: Negotiable · Packaging Details: PE Bag+Carton • Delivery Time: 7-10 working days Payment Terms: T/T, Western Union, L/C . Supply Ability: 50000pieces/Year



## **Product Specification**

Model Number: Fiber Optic Termination Box
 Installation: Wall Mounted/Pole Mounted

Specification: Customized

Connect Method:
 PLC Splitter/Pigtail Splicing

Material: ABS+PC
Installation Type: Wall Mounted
Fiber Core: 1 Cores
Dimension(mm): 116x86x23mm

Highlight: IP65 FTTH Fiber Termination Box,
 Fiber Optic Termination Box 1 Port,

**FTTH Fiber Optic Termination Box** 



# More Images



#### **Product Description**

#### Fiber Optic Termination Box 1 Port SC APC Single Mode Type Plastic Housing For Indoor Use

This mini fiber optic termination box is designed for splicing and terminating connections between indoor fiber optic cables and pigtails with SC or LC duplex types. It can be easily installed for wall-mounted or desktop applications, making it versatile for both home and office environments. Constructed from durable plastic, this termination box is lightweight and user-friendly. The outlets are specifically designed to accommodate SC fiber optic cable patch cord adapters, ensuring seamless integration within work location subsystems. Its compact design not only saves space but also enhances the overall organization of your fiber optic connections.

### **Application**


- 1. Splice and patch cord use separation stucture easy to Capacity expansion and maintence;
- 2. High quality plastic, Beautiful appearance;
- 3. Internal turnover structure, easy to maintenance;
- 4. Can install tube type splitter;
- 5. Could exit 16 pcs of drop cable;
- 6. Protection levels: IP55

#### **Features**

- 1. Widely used in FTTX access networks.
- 2. Telecommunication Networks
- 3. CATV networks
- 4. Local Area Networks

#### **Specifications**

Work Temperature	-40 C ~+85 C
Relative Humidity	≤ 85% (+30 C)
Atmospheric Pressure	70Kpa~106Kpa
Insert Loss	≤ 0.2dB
UPC Return Loss APC	≥ 50dB
Return Loss Insert and	≥ 60dB
Pull out Life Insulation	≥ 1000 times
Box Size	116x86x23mm





Q1: What is the warranty of FiberMania's fiber patch cord?

A: FiberMania warrants that all fiber patch cords supplied are free from defects in material and workmanship for a period of five (5) years from the date of supply. All fiber optic bulk cables are UL profiled and every single cable is 100% tested.

Q2: Is it possible to customize our brand information on your fiber cable?

A: Yes, we can print your brand name onto our cable jacket and 1KM total cable length is requested.

Q3: Can you do 3D interferometer test?

A: Yes, we do the 3D test per our customer's request, we can have the pass rate over 90% and even 100% if necessary.

Q4: What is your MOQ of your products?

A: We only have MOQ for some special customized cable order, we request 1km as the total length of the bulk cable, you may consider stock the bulk cable with us for your urgent order production.

Q5: Are free samples available from you?

A: Yes, we are always happy to offer the free samples for all of our customers' projects provided that the total cost is under 50 US dollars.

Q6: Do you accept OEM and ODM orders?

A: Absolutely yes, we have been doing OEM services since we start in this business, and for every single label, printing, bag and carton design, we always treat it seriously and do it nicely. Our engineers can help you with your current design and even can open the new tooling for your specific project.





17704025189



sales@fiber-mania.com



optical-fibercables.com

3F, Building A2, Yinlong Industrial Park, Longdong, Longgang District, Shenzhen, China, 518116