T/T, Western Union, L/C



CATV Network 6 Port Fiber Termination Box , Optical Network Terminal Box

Basic Information

Place of Origin: Shenzhen, China
 Brand Name: FIBERMANIA
 Certification: ISO, UL, CE, RoHS

Model Number: FTB2-SC-6
Minimum Order Quantity: 10 Pieces
Price: Negotiable
Packaging Details: PE Bag+Carton
Delivery Time: 7-10 working days

• Supply Ability: 50000pieces/Year



Product Specification

Payment Terms:

Model Number: 6 Port Fiber Termination Box

Installation Type: Wall Mounted
Material: ABS+PC
Adapter Type: SC APC
Fiber Core: 6 Cores
Waterproof Rate: IP65

• Dimension(mm): 210x140x40mm

 Connect Method: PLC Splitter/Pigtail Splicing
 Highlight: 4 Port Fiber Termination Box, CATV Network Termination Box, Optical Network Terminal Box



More Images



Product Description

Fiber Optic Termination Box 6 Ports Plastic Housing Loaded With 6xSC Simplex Adapter and 6 Fibers Pigtail

This 6 ports termination box can accommodate 6 simplex SC adapters or 6 duplex LC adapters, and 6 ports optical fiber distribution box is used for the fusion splicing, splitting, wiring transmission and other functions of the optical transmission terminal; It can effectively terminate, protect and manage the optical cable. It is a necessary equipment in network transmission, This kind of fiber optic junction box with sufficient impact strength is fixed and easy to install in different applications; The snap-on cover design greatly reduces the difficulty of installation, 4 screws can be installed quickly. 6 Port Optical Fiber Desktop Box used in the home or work area, the internal reasonable and precise structure protects the incoming and outgoing fiber and provides safe protection for the fiber core.

Application

- 1. To fix and splice pigtails
- 2. Can be installed on the wall
- 3. Applicable for various optical connection styles
- 4. FTTH access network
- 5. CATV network
- 6. Telecommunication network
- 7. Local area network

Features

- 1. Effectively terminate
- 2. Protect and manage the optical cable
- 3. Waterproof and dustproof
- 4. Support MM or SM fiber connection
- 5. Customer defined specifications

Specifications

Work Temperature	-40 C ~+85 C
Relative Humidity	≤ 85% (+30 C)
Atmospheric Pressure	70Kpa~106Kpa
Insert Loss	≤ 0.2dB
UPC Return Loss	≥ 50dB
APC Return Loss	≥ 60dB
Pull out Life Insulation	≥ 1000 times
Box Size	210x140x40mm





Q1: What is the warranty of FiberMania's fiber patch cord?

A: FiberMania warrants that all fiber patch cords supplied are free from defects in material and workmanship for a period of five (5) years from the date of supply. All fiber optic bulk cables are UL profiled and every single cable is 100% tested.

Q2: Is it possible to customize our brand information on your fiber cable?

A: Yes, we can print your brand name onto our cable jacket and 1KM total cable length is requested.

Q3: Can you do 3D interferometer test?

A: Yes, we do the 3D test per our customer's request, we can have the pass rate over 90% and even 100% if necessary.

Q4: What is your MOQ of your products?

A: We only have MOQ for some special customized cable order, we request 1km as the total length of the bulk cable, you may consider stock the bulk cable with us for your urgent order production.

Q5: Are free samples available from you?

A: Yes, we are always happy to offer the free samples for all of our customers' projects provided that the total cost is under 50 US dollars.

Q6: Do you accept OEM and ODM orders?

A: Absolutely yes, we have been doing OEM services since we start in this business, and for every single label, printing, bag and carton design, we always treat it seriously and do it nicely. Our engineers can help you with your current design and even can open the new tooling for your specific project.





17704025189



sales@fiber-mania.com



optical-fibercables.com

3F, Building A2, Yinlong Industrial Park, Longdong, Longgang District, Shenzhen, China, 518116