

19 Inch 1U Fiber Optic Patch Panel 12 Port With SC Simplex Single Mode / Multimode Adapter

Our Product Introduction

for more products please visit us on optical-fibercables.com

Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: FIBERMANIA
- Certification: ISO, UL, CE, RoHS
- Model Number: FAP-SCA12LS
- Minimum Order Quantity: 10 Pieces
- Price: Negotiable
- Packaging Details: Polybag
- Delivery Time: 7-10 working days
- Payment Terms: T/T, Western Union, L/C
- Supply Ability: 100000PCS/Month



Product Specification

- Application: 19inch Patch Panels
- Material Of Plate: Steel, Powder-coated Black
- Fiber Count: 12 Fibers
- Adapter Type: SC Simplex
- Fiber Mode: Single Mode Or Multimode
- Dimensions (HxW): 44x482.6mm
- Color: Black
- Highlight: **Optical Fiber Patch Panel 12 Port,
1U Fiber Optic Patch Panel 12 Port,
1U Fiber Optic Patch Panel 19 Inch**



More Images



Product Description

1U 19inch SC Adapter Panel 12 Ports Loaded With SC Simplex Single Mode or Multimode Adapter

The 1U fiber optic patch panel is a versatile management solution for high-density cabling. Serving as a bridge for fiber patch cables, this structured wiring panel typically functions as a 1U 19" rack, ODF, or cabinet. It can accommodate various adapters, including LC, SC, FC, and ST, in duplex single mode or OM3/OM4 multimode configurations, with 24 ports or even more. Additionally, the 1U 19" rack blank panel is commonly utilized in structured wiring systems, providing a clean and organized solution for cable management. FiberMania provides lots of adapter panels with customizable options available to fit whatever application you require.

Features

1. Space Saving 1U Design, Mount to Standard EIA 19" Rack Rails
2. Allow for Field Splicing Applications Using LGX
3. Standard TIA/EIA-568.3-D Suggested Adapter Colors
4. Offered in LC, SC and Blank Styles

Application

1. FTTX
2. Data center
3. Broadband network
4. Premise installations
5. Telecommunication networks
6. LAN and WAN

Mechanical Specifications

Operating Temperature	-40 to +75° C
Storage Temperature	-40 to +85° C
Temperature Cycling	-40 to +75° C, 40 cycles=0.2dB change
High Temperature	70°c for 96Hrs, <0.4dB change
Damp Heat	40° C at 93%RH for 96 Hrs, <0.4dB change
Vibration-Mated Pair	10-55Hz, 1.5mm P to P <0.2dB change
Mating Durability	500 Mating Cycles, clean every 25, <0.2dB change





FAQ

Q1: What is the warranty of FiberMania's fiber patch cord?

A: FiberMania warrants that all fiber patch cords supplied are free from defects in material and workmanship for a period of five (5) years from the date of supply. All fiber optic bulk cables are UL profiled and every single cable is 100% tested.

Q2: Is it possible to customize our brand information on your fiber cable?

A: Yes, we can print your brand name onto our cable jacket and 1KM total cable length is requested.

Q3: Can you do 3D interferometer test?

A: Yes, we do the 3D test per our customer's request, we can have the pass rate over 90% and even 100% if necessary.

Q4: What is your MOQ of your products?

A: We only have MOQ for some special customized cable order, we request 1km as the total length of the bulk cable, you may consider stock the bulk cable with us for your urgent order production.

Q5: Are free samples available from you?

A: Yes, we are always happy to offer the free samples for all of our customers' projects provided that the total cost is under 50 US dollars.

Q6: Do you accept OEM and ODM orders?

A: Absolutely yes, we have been doing OEM services since we start in this business, and for every single label, printing, bag and carton design, we always treat it seriously and do it nicely. Our engineers can help you with your current design and even can open the new tooling for your specific project.



FIBERMANIA Shenzhen FiberMania Technology Co., Ltd.



17704025189



sales@fiber-mania.com



optical-fibercables.com

3F, Building A2, Yinlong Industrial Park, Longdong, Longgang District, Shenzhen, China, 518116