

Data Centers Fiber Optic Adapter Panels 24 Port LC Patch Panel RoHS Approved

Basic Information

Place of Origin: Shenzhen, China
Brand Name: FIBERMANIA
Certification: ISO, UL, CE, RoHS
Model Number: FAP-SCA24LS
Minimum Order Quantity: 10 Pieces
Price: Negotiable
Packaging Details: Polybag

Delivery Time: 7-10 working days
 Payment Terms: T/T, Western Union, L/C
 Supply Ability: 100000PCS/Month



Product Specification

Number Of Ports: 24

Fiber Count: 24 FibersAdapter Type: SC Simplex

Fiber Mode: Single Mode Or MultimodeMaterial Of Plate: Steel, Powder-coated Black

• Dimensions (HxW): 44x482.6mm

Application: Standard EIA 19" Rack Rails

• Color: Black

• Highlight: Data Centers Fiber Optic Adapter Panels,

RoHS 24 Port LC Patch Panel



More Images



Product Description

1U 19inch SC Adapter Panel 24 Ports Loaded With SC Simplex Single Mode or Multimode Adapter

The fiber optic adapter panel is designed for patching fiber cables to termination enclosures, such as wall mount cabinets, rack mount cabinets, or rack mount fiber optic patch panels. Its convenient design allows for easy and quick installation, snapping seamlessly into the front of fiber optic patch panels or enclosures. This makes it an excellent choice for efficient network deployment, as well as for moves, adds, and changes. Primarily suited for installation in rack and wall mount enclosures, as well as fiber optic patch panels, this adapter panel also offers additional application possibilities for customers. For instance, multimedia modular panels enable customization for installations that require the integration of fiber optic and copper cables. Additionally, blank fiber adapter panels reserve space for future use, providing flexibility for expanding network needs.

Features

- 1. Easy to use and install
- 2. Black powder coating
- 3. 19-inch rack-mountable
- 4. Loaded with 24 SC simplex adapters


Application

- 1. Fiber to the home (FTTH)
- 2. Telecommunications
- 3. LAN/WAN
- 4. CATV
- 5. Data Centers
- 6. 10G-10G Structured Fiber Cabling Solution for Campus Network with Fiber Patch Panel and MTP® Cassette
- 7. 10G-10G Interconnect Cabling Solution for Campus Network with Fiber Patch Panel

Mechanical Specifications

Operating Temperature	-40 to +75° C
Storage Temperature	-40 to +85º C
Temperature Cycling	-40 to +75° C, 40 cycles=0.2dB change
High Temperature	70°c for 96Hrs, <0.4dB change
Damp Heat	40º C at 93%RH for 96 Hrs, <0.4dB change
Vibration-Mated Pair	10-55Hz, 1.5mm P to P <0.2dB change
Mating Durability	500 Mating Cycles, clean every 25, <0.2dB change





Q1: What is the warranty of FiberMania's fiber patch cord?

A: FiberMania warrants that all fiber patch cords supplied are free from defects in material and workmanship for a period of five (5) years from the date of supply. All fiber optic bulk cables are UL profiled and every single cable is 100% tested.

Q2: Is it possible to customize our brand information on your fiber cable?

A: Yes, we can print your brand name onto our cable jacket and 1KM total cable length is requested.

Q3: Can you do 3D interferometer test?

A: Yes, we do the 3D test per our customer's request, we can have the pass rate over 90% and even 100% if necessary.

Q4: What is your MOQ of your products?

A: We only have MOQ for some special customized cable order, we request 1km as the total length of the bulk cable, you may consider stock the bulk cable with us for your urgent order production.

Q5: Are free samples available from you?

A: Yes, we are always happy to offer the free samples for all of our customers' projects provided that the total cost is under 50 US dollars.

Q6: Do you accept OEM and ODM orders?

A: Absolutely yes, we have been doing OEM services since we start in this business, and for every single label, printing, bag and carton design, we always treat it seriously and do it nicely. Our engineers can help you with your current design and even can open the new tooling for your specific project.





17704025189



sales@fiber-mania.com



optical-fibercables.com

3F, Building A2, Yinlong Industrial Park, Longdong, Longgang District, Shenzhen, China, 518116