Yellow High Speed Fiber Optic Cable LC UPC To LC UPC Uniboot Patch Cord With Pull Tab

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- ISO, UL, CE, RoHS LCULCU-SM024PRYL 10 Pieces

Shenzhen, China

FiberMania

- Negotiable
 - PE bag or OEM service optional
 - 5 days
- T/T, Western Union, L/C
- 10000 Pieces per day



Product Specification

- Name:
- Connector A:
- Connector B:
- Fiber Mode:
- Cable (OD):
- Cable Jacket:
- Jacket Color:
- Insertion Loss:
- Return Loss: • Highlight:
- LC/UPC Uniboot LC/UPC Uniboot OS2 9/125µm 2.0mm OFNR Yellow ≤0.2dB ≥50dB

High Speed Fiber Optic Cable

Yellow High Speed Fiber Optic Cable, High Speed Fiber Optic Cable Patch Cord, LC UPC To LC UPC Uniboot Patch Cord



Our Product Introduction

Product Description

LC UPC To LC UPC Uniboot With Pull Tab Fiber Optic Patch Cable Single Mode OS2 OFNR 2.0mm Yellow

This high-speed Single Mode 9/125µm duplex fiber optic patch cable is terminated with LC UPC uniboot connectors on both ends (LC/UPC-LC/UPC). LC Uniboot fiber optic patch cables can reduce the required space by integrating two fibers into one sheath. Compared to traditional duplex LC fiber patch cables, they can save up to 50% of cabling space, which is particularly advantageous for data centers and high-density cabling environments. Combined with push-pull Tab, LC uniboot fibers can be easily inserted and removed from high-density cabling without special tools. It can transmit data up to 10km at 1310nm wavelength, or up to 40km at 1550nm wavelength.

Applications Of Fiber Optic Patch Cable


- 1. Data centers
- 2. Ethernet applications
- 3. Telecommunications networks
- 4. CATV networks
- 5. Enterprise networks
 6. Optical communication centers

Features Of Fiber Optic Patch Cable

- 1. LC/UPC uniboot and LC/UPC uniboot with Pull Tab connectors for easy installation
- 2. Duplex Fiber in one jacket
- 3. High Speed, Single Mode
- 4. Compact design and Low insertion loss
- 5. Better signal transmission and cable management

6. UL, RoHS materials compliant Specifications Of Fiber Optic Patch Cable

Characteristics	Standard Fiber Cable Assemblies		
Connector Type	LC Uniboot to LC Uniboot		
Polish Type	UPC to UPC		
Ferrule Materials	Zirconia Ceramic		
Fiber Type	Single Mode(G.657A1)		
Testing Wavelength	1310/1550nm		
Min. Bend Radius(Fiber Core)	10mm		
Min. Bend Radius(Fiber Cable)	10/5D (Dynamic/Static)		
Exchangeability	≤0.2dB		
Attenuation at 1310 nm	0.36dB/km		
Attenuation at 1550 nm	0.22dB/km		
Polarity	A (Tx) to B (Rx)		
Operating Temp. (C)	-20°C ~+70°C		
Storage Temp. (°C)	-40°C ~ +85°C		





FAQ

Q1: What is the warranty of FiberMania's fiber patch cord?

A: FiberMania warrants that all fiber patch cords supplied are free from defects in material and workmanship for a period of five (5) years from the date of supply. All fiber optic bulk cables are UL profiled and every single cable is 100% tested.

Q2: Is it possible to customize our brand information on your fiber cable? A: Yes, we can print your brand name onto our cable jacket and 1KM total cable length is requested.

Q3: Can you do 3D interferometer test?

A: Yes, we do the 3D test per our customer's request, we can have the pass rate over 90% and even 100% if necessary.

Q4: What is your MOQ of your products?

A: We only have MOQ for some special customized cable order, we request 1km as the total length of the bulk cable, you may consider stock the bulk cable with us for your urgent order production.

Q5: Are free samples available from you?

A: Yes, we are always happy to offer the free samples for all of our customers' projects provided that the total cost is under 50 US dollars.

Q6: Do you accept OEM and ODM orders?

A: Absolutely yes, we have been doing OEM services since we start in this business, and for every single label, printing, bag and carton design, we always treat it seriously and do it nicely. Our engineers can help you with your current design and even can open the new tooling for your specific project.

FIBERMANIA Shenzhen FiberMania Technology Co., Ltd.				
٩	17704025189	sales@fiber-mania.com	© optical-fibercables.com	
3F, Buildin	g A2, Yinlong Industria	al Park, Longdong, Longgang	District, Shenzhen, China, 518116	