


## SC Adapter Patch Panel 8 Ports Loaded With 8 SC APC Simplex Single Mode Adapters Black

Our Product Introduction

for more products please visit us on [optical-fibercables.com](http://optical-fibercables.com)

### Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: FIBERMANIA
- Certification: ISO, UL, CE, RoHS
- Model Number: FAP-SCA8LS
- Minimum Order Quantity: 10 Pieces
- Price: Negotiable
- Packaging Details: Polybag
- Delivery Time: 7-10 working days
- Payment Terms: T/T, Western Union, L/C
- Supply Ability: 100000PCS/Month



### Product Specification

- Number Of Ports: 8
- Fiber Count: 8 Fibers
- Adapter Type: SC APC Simplex
- Fiber Mode: Single Mode
- Material Of Plate: Steel, Powder-coated Black
- Dimensions (HxW): 129x29mm
- Application: LGX Patch Panel
- Color: Green
- Highlight: **SC Adapter Patch Panel,  
8 Ports Fiber Optic Adapter Panels,  
8 SC APC Fiber Adapter Panels**



## Product Description

### SC Adapter Patch Panel 8 Ports Loaded w/8 SC APC Simplex Single mode Adapters Black

SC 8 Ports Adapter Patch Panel is loaded with 6 x SC APC Simplex singlemode Adapters, provides connections for 6 SC fiber optic patch cables. The panel can be used as a pass through or to connect SC assemblies together. Provides a simplified method of routing circuits with an orderly appearance. Designed for Quick Field Termination, which saves time and money. Constructed to fit blank panels and rack mount enclosures. Black powder coated steel construction. Also available in LC, ST, FC and MPO configurations. 100% Tested and Approved.

#### Features

1. Includes 6 adapters
2. Quick Field Termination
3. Fast Deployment
4. Simple Installation/Removal
5. Design provides a secure fit
6. Available in LC, SC, ST, FC and MPO adapters

#### Application

1. Datacenter
2. Network installations

#### Mechanical Specifications

Operating Temperature	-40 to +75° C
Storage Temperature	-40 to +85° C
Temperature Cycling	-40 to +75° C, 40 cycles=0.2dB change
High Temperature	70 °c for 96Hrs, <0.4dB change
Damp Heat	40° C at 93%RH for 96 Hrs, <0.4dB change
Vibration-Mated Pair	10-55Hz, 1.5mm P to P <0.2dB change
Mating Durability	500 Mating Cycles, clean every 25, <0.2dB change



#### FAQ

Q1: What is the warranty of FiberMania's fiber patch cord?

A: FiberMania warrants that all fiber patch cords supplied are free from defects in material and workmanship for a period of five (5) years from the date of supply. All fiber optic bulk cables are UL profiled and every single cable is 100% tested.

Q2: Is it possible to customize our brand information on your fiber cable?

A: Yes, we can print your brand name onto our cable jacket and 1KM total cable length is requested.

Q3: Can you do 3D interferometer test?

A: Yes, we do the 3D test per our customer's request, we can have the pass rate over 90% and even 100% if necessary.

Q4: What is your MOQ of your products?

A: We only have MOQ for some special customized cable order, we request 1km as the total length of the bulk cable, you may consider stock the bulk cable with us for your urgent order production.

Q5: Are free samples available from you?

A: Yes, we are always happy to offer the free samples for all of our customers' projects provided that the total cost is under 50 US dollars.

Q6: Do you accept OEM and ODM orders?

A: Absolutely yes, we have been doing OEM services since we start in this business, and for every single label, printing, bag and carton design, we always treat it seriously and do it nicely. Our engineers can help you with your current design and even can open the new tooling for your specific project.



**FIBERMANIA** Shenzhen FiberMania Technology Co., Ltd.



17704025189



[sales@fiber-mania.com](mailto:sales@fiber-mania.com)



[optical-fibercables.com](http://optical-fibercables.com)

3F, Building A2, Yinlong Industrial Park, Longdong, Longgang District, Shenzhen, China, 518116