

CAT.6A UTP Keystone Jack 180 Degree White Color Ethernet Modular Jacks

Basic Information

Place of Origin: Shenzhen, China
Brand Name: FIBERMANIA
Certification: CE, ISO, RoHS, UL
Model Number: KJ-C6AUHWH
Minimum Order Quantity: 1000 Pieces
Price: Negotiable

Packaging Details: Polybag Into CartonDelivery Time: 10-20 working days



Product Specification

Product Type: Cat6A Keystone Jack

Connector: RJ45 Female
Shielding Type: Unshielded
Data Rate Support: 10GBase-T
Conductor: 23-26AWG Cable
Wiring Scheme: T568A/T568B

Usage: Telephone, Computer, ServerHighlight: White Color Ethernet Modular Jacks,

180 Degree Keystone Jack, CAT.6A UTP Keystone Jack



More Images



Product Description

CAT.6A UTP Keystone Jack 180 Degree White Color Ethernet Modular jacks

CAT.6A UTP Keystone Jack, 180 Degree is a modular jack used for network cabling, primarily for connecting network cables. It supports data transmission rates of up to 10 Gbps, with a frequency of 500 MHz, and features a compact design suitable for high-density panel installations. Widely used in home and enterprise network cabling systems to connect network devices such as routers, switches, etc

Features:

- 1. 50u" gold plated contacts.
- 2. Utilizes 180 degree industry standard 110 termination style
- 3. Dual-color coded labeling made for both 568A & 568B wiring schemes
- 4. Compact design fits into any conventional face plate, outlet box, or panel
- 5. Compliant with EIA/TIA-568.2-D Cat6a connecting hardware specifications
- 6. Backward compatible

Mechanical:

- 1. Housing Material: PC (UL94V-0) 2. Contact Material: PC (UL90V-0)
- 3. Contact: phosphor bronze with nickel plating
- 4. RJ45 Jack: 750 times MIN. 5. IDC Life: 200 times MIN.
- 6. Wire: 22-26 AWG Solid
- 7. Tia Cat.5e Perm Link Test: Worst Pair NEXT Margin ≥3dB
- 8. Retentiveness of insertion structure: 50N 60±5s
- 9. Termination: Krone, 110, Dual Type

Specification:

. •	
Product Name	CAT.3/CAT.5e/CAT.6/CAT.6A/CAT.7/CAT.8 keystone jack
Product Color	Black, White, Silver, Blue, Yellow, Green, Red, Orange
Wiring Scheme	T568A/T568B
Housing Material	ABS/PC
Plating	3u inch, 6u inch, 10u inch, 15u inch, 20u inch, 30u inch, 50u inch
Working life	750 times Min for jack; 200times min for IDC
Humidity	10% ~ 90%RH
Temperature	-20°C~ 60°C
Voltage rating	125VCA RMS
Current rating	1.5Amp
Contact resistance	100 MILLIOHMS MAX
Insulation Resistance	1000 MEGOHMS MIN@500VDC
Certificate	ROHS
•	

Q1: What is the warranty of FiberMania's fiber patch cord?

A: FiberMania warrants that all fiber patch cords supplied are free from defects in material and workmanship for a period of five (5) years from the date of supply. All fiber optic bulk cables are UL profiled and every single cable is 100% tested.

Q2: Is it possible to customize our brand information on your fiber cable?

A: Yes, we can print your brand name onto our cable jacket and 1KM total cable length is requested.

Q3: Can you do 3D interferometer test?

A: Yes, we do the 3D test per our customer's request, we can have the pass rate over 90% and even 100% if necessary.

Q4: What is your MOQ of your products?

A: We only have MOQ for some special customized cable order, we request 1km as the total length of the bulk cable, you may consider stock the bulk cable with us for your urgent order production.

Q5: Are free samples available from you?

A: Yes, we are always happy to offer the free samples for all of our customers' projects provided that the total cost is under 50 US dollars.

Q6: Do you accept OEM and ODM orders?

A: Absolutely yes, we have been doing OEM services since we start in this business, and for every single label, printing, bag and carton design, we always treat it seriously and do it nicely. Our engineers can help you with your current design and even can open the new tooling for your specific project.

FIBERMANIA Shenzhen FiberMania Technology Co., Ltd.



17704025189



sales@fiber-mania.com



e optical-fibercables.com

3F, Building A2, Yinlong Industrial Park, Longdong, Longgang District, Shenzhen, China, 518116