Unshielded RJ45 Cat6 Inline Coupler Type Keystone Jack White Or Black ABS Housing

Basic Information

- Place of Origin:
- Brand Name:
- **FIBERMANIA**
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Supply Ability:
- ISO, UL, CE, RoHS IC-C6URJ45K

Shenzhen, China

- 100 Pieces Negotiable
- PE bag or OEM service optional
- 10-20 working days
- 10000 Pieces per month



Product Specification

- Product Type:
- Color:
- Connector:
- Shielding Type:
- Wire Supported:
- Wiring Scheme:
- Data Rate Support:
- Housing Material:
- Highlight:
- Cat6 Coupler Module White Or Black **RJ45** Female Unshielded 22-32AWG Cable T568A/T568B 1000Base-T

ABS

cat6 rj45 keystone jack inline coupler, cat6 rj45 inline keystone coupler, Unshielded rj45 cat6 inline coupler



Our Product Introduction


Product Description

Connecting RJ45 Cat6 Unshielded Inline Coupler Type Keystone Jack White Or Black

Cat6 Unshielded Inline Coupler Type Keystone Jack is a type of network connector, which commonly used to connect two RJ45 network cables through a plug. It adopts the CAT. 6 standard and supports high-speed Ethernet data transmission (up to 10Gbps). This connector is a standard plug-in module design that can be directly plugged into network panels or wall sockets for easy installation. It is suitable for high-speed local area network (LAN) connections and can handle higher frequency signal transmission.

Features

- 1. Housing: ABS +PC (UL 94V-0 available upon request)
- 2. Various colors available
- 3. Slim style and for high-density use
- 4. CAT.6 performance speeds of up to 600MHz 5. Connectors: RJ45 female to RJ45 female
- 6. Designed for computer networking applications
- 7. Gold plated over nickel contacts
- 8. Can easily snap into blank wall plates and blank panels without using punch down tools
- 9. Compatible with FiberMania's empty standard blank patch panels and wall plates



Applications

1. Connection

- 2. Wall plates, patch panels, surface mount boxes
- 3. Ethernet 10BASE-T
- 4. Fast Ethernet 100BASE-T/TX
- 5. Gigabit Ethernet 1000BASE-T/TX

Specification:

Product Name	CAT.5e/CAT.6/CAT.6A Inline Couplers
Product Color	Black, White, Silver, Blue, Yellow, Green, Red, Orange, Metal Silver
Housing Material	ABS/PC/Phosphor Bronze
Working life	750 times Min for jack; 200times min for IDC
Humidity	10% ~ 90%RH
Temperature	-10ºC~ 65ºC
Voltage rating	125VCA RMS
Current rating	1.5Amp
Contact resistance	100 MILLIOHMS MAX
Insulation Resistance	1000 MEGOHMS MIN@500VDC
Certificate	ROHS

FAQ

Q1: What is the warranty of FiberMania's fiber patch cord?

A: FiberMania warrants that all fiber patch cords supplied are free from defects in material and workmanship for a period of five (5) years from the date of supply. All fiber optic bulk cables are UL profiled and every single cable is 100% tested.

Q2: Is it possible to customize our brand information on your fiber cable?

A: Yes, we can print your brand name onto our cable jacket and 1KM total cable length is requested.

Q3: Can you do 3D interferometer test?

A: Yes, we do the 3D test per our customer's request, we can have the pass rate over 90% and even 100% if necessary.

Q4: What is your MOQ of your products?

A: We only have MOQ for some special customized cable order, we request 1km as the total length of the bulk cable, you may consider stock the bulk cable with us for your urgent order production.

Q5: Are free samples available from you?

A: Yes, we are always happy to offer the free samples for all of our customers' projects provided that the total cost is under 50 US dollars.

Q6: Do you accept OEM and ODM orders?

for more products please visit us on optical-fibercables.com

	services since we start in this business, and for every single label, printing, bag y and do it nicely. Our engineers can help you with your current design and even ject.	
FIBERMANIA Shenzhen FiberMania Technology Co., Ltd.		
(17704025189	sales@fiber-mania.com	
3F, Building A2, Yinlong Industrial Park, Longdong, Longgang District, Shenzhen, China, 518116		