White CAT.6A UTP RJ45 Inline Coupler Keystone Type Wire Supported 22-32AWG Cable High Qualit

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Supply Ability:
- **FIBERMANIA** ISO, UL, CE, RoHS IC-C6AURJ45KWH

Shenzhen, China

- 100 Pieces Negotiable
- PE bag or OEM service optional
- 10-20 working days
- 10000 Pieces per month



Product Specification

- Product Type:
- Color:
- Connector:
- Shielding Type:
- Wire Supported:
- Wiring Scheme:

White RJ45 Female

Cat6a Coupler Module

- Unshielded
- 22-32AWG Cable
- Data Rate Support:
- Housing Material:
- Highlight:
- T568A/T568B
- 10Gbps
- ABS+PC
 - 22-32AWG RJ45 Inline Coupler, White RJ45 Inline Coupler, Keystone Type RJ45 Inline Coupler

Our Product Introduction

Product Description

CAT.6A STP RJ45-RJ45 Shielded Inline Coupler Ethernet Cable Extender

CAT.6A inline Coupler is an RJ45 interface coupler used to connect two CAT.6A category unshielded twisted pair (UTP) cables. It complies with the CAT.6A standard and supports transmission rates of up to 10Gbps and a bandwidth of 500MHz. It can be installed on Keystone modular panels or wall panels for easy integration into various network cabling systems, using high-quality plastic materials and gold-plated contacts to ensure good conductivity and durability.

Features:

- 1. Gold plated over nickel contacts
- 2. Straight through coupler
- 3. Supports transmission rates of up to 10Gbps
- 4. Compact design suit for high-density use
- 5. Keystone style snap-In: use as stand alone or in wall plates and panels
- 6. Designed for computer networking applications



Applications:

1. Connection

2. Wall plates, patch panels, surface mount boxes

3. Ideal for 10G Ethernet Connections

Specification:

Product Name	CAT.5e/CAT.6/CAT.6A Inline Couplers
Product Color	Black, White, Silver, Blue, Yellow, Green, Red, Orange, Metal Silver
Housing Material	ABS/PC/Phosphor Bronze
Working life	750 times Min for jack; 200times min for IDC
Humidity	10% ~ 90%RH
Temperature	-10ºC~ 65ºC
Voltage rating	125VCA RMS
Current rating	1.5Amp
Contact resistance	100 MILLIOHMS MAX
Insulation Resistance	1000 MEGOHMS MIN@500VDC
Certificate	ROHS

FAQ

Q1: What is the warranty of FiberMania's fiber patch cord?

A: FiberMania warrants that all fiber patch cords supplied are free from defects in material and workmanship for a period of five (5) years from the date of supply. All fiber optic bulk cables are UL profiled and every single cable is 100% tested.

Q2: Is it possible to customize our brand information on your fiber cable?

A: Yes, we can print your brand name onto our cable jacket and 1KM total cable length is requested.

Q3: Can you do 3D interferometer test?

A: Yes, we do the 3D test per our customer's request, we can have the pass rate over 90% and even 100% if necessary.

Q4: What is your MOQ of your products?

A: We only have MOQ for some special customized cable order, we request 1km as the total length of the bulk cable, you may consider stock the bulk cable with us for your urgent order production.

Q5: Are free samples available from you?

A: Yes, we are always happy to offer the free samples for all of our customers' projects provided that the total cost is under 50 US dollars.

	services since we start in this business, and for every single label, printing, bag y and do it nicely. Our engineers can help you with your current design and even bject.	
FIBERMANIA Shenzhen FiberMania Technology Co., Ltd.		
(17704025189	sales@fiber-mania.com 📀 optical-fibercables.com	
3F, Building A2, Yinlong Industrial Park, Longdong, Longgang District, Shenzhen, China, 518116		