

Black Cat5e Coupler Module with 1000Base-T Data Rate Support Inline Keystone Type

Basic Information

Place of Origin: Shenzhen, China
Brand Name: FIBERMANIA
Certification: ISO, UL, CE, RoHS
Model Number: IC-C5URJ45KBK
Minimum Order Quantity: 100 Pieces
Price: Negotiable

Packaging Details:
 PE bag or OEM service optional

Delivery Time: 10-20 working daysSupply Ability: 10000 Pieces per month



Product Specification

Product Type: Cat5e Coupler Module

Color: Black

Connector: RJ45 Female
Shielding Type: Unshielded
Wire Gauge Supported: 22-32AWG Cable
Wiring Scheme: T568A/T568B
Data Rate Support: 1000Base-T
Housing Material: ABS

• Highlight: 1000Base-T Inline Keystone Coupler,

 $\label{eq:coupler_Module} \textbf{Inline Keystone Type Coupler Module}\,,$

Black Cat5e Coupler Module


Product Description

High Quality CAT.5E UTP Unshielded Keystone Type Inline Coupler Black

CAT.5E UTP Unshielded Keystone Type Inline Coupler Black is a device used for network cabling. Specifically, it is an inline coupler used to connect two RJ45 interface Ethernet cables to extend the length of the network cable. It supports frequencies up to 100MHz and is suitable for network speeds such as 1000BASE-T (Gigabit Ethernet). The product adopts a modular design and can be installed in standard wiring frames or wall sockets.

Features

- 1. Housing: ABS +PC (UL 94V-0 available upon request)
- 2. 50-micron Gold Plated Contacts
- 3. RJ45 Female-Female Feed-Thru Coupler with Keystone Latch
- 4. Various colors available
- 5. Provides excellent performance for data networks requiring maximum speeds and bandwidth.
- 6. A great alternative to extend network cables throughout the home or office



Applications

- 1. Connection
- 2. Wall plates, patch panels, surface mount boxes
- 3. Ethernet 10BASE-T
- 4. Fast Ethernet 100BASE-T/TX
- 5. Gigabit Ethernet 1000BASE-T/TX

Specification:

Product Name	CAT.5e/CAT.6/CAT.6A Inline Couplers
Product Color	Black, White, Silver, Blue, Yellow, Green, Red, Orange, Metal Silver
Housing Material	ABS/PC/Phosphor Bronze
Working life	750 times Min for jack; 200times min for IDC
Humidity	10% ~ 90%RH
Temperature	-10ºC~ 65ºC
Voltage rating	125VCA RMS
Current rating	1.5Amp
Contact resistance	100 MILLIOHMS MAX
Insulation Resistance	1000 MEGOHMS MIN@500VDC
Certificate	ROHS

FAQ

Q1: What is the warranty of FiberMania's fiber patch cord?

A: FiberMania warrants that all fiber patch cords supplied are free from defects in material and workmanship for a period of five (5) years from the date of supply. All fiber optic bulk cables are UL profiled and every single cable is 100% tested.

Q2: Is it possible to customize our brand information on your fiber cable?

A: Yes, we can print your brand name onto our cable jacket and 1KM total cable length is requested.

Q3: Can you do 3D interferometer test?

A: Yes, we do the 3D test per our customer's request, we can have the pass rate over 90% and even 100% if necessary.

Q4: What is your MOQ of your products?

A: We only have MOQ for some special customized cable order, we request 1km as the total length of the bulk cable, you may consider stock the bulk cable with us for your urgent order production.

Q5: Are free samples available from you?

A: Yes, we are always happy to offer the free samples for all of our customers' projects provided that the total cost is under 50 US dollars.

Q6: Do you accept OEM and ODM orders?

A: Absolutely yes, we have been doing OEM services since we start in this business, and for every single label, printing, bag

and carton design, we always treat it seriously and do it nicely. Our engineers can help you with your current design and even can open the new tooling for your specific project.

FIBERMANIA Shenzhen FiberMania Technology Co., Ltd.

17704025189

sales@fiber-mania.com

optical-fibercables.com

3F, Building A2, Yinlong Industrial Park, Longdong, Longgang District, Shenzhen, China, 518116