
Slim Type White CAT.6 UTP Keystone Jack With Dust Cover Cabling Modular Jacks

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price: Negotiable
- Packaging Details:
- Delivery Time:



FIBERMANIA

Shenzhen, China





Product Specification

- Product Type:
- Connector:
- Shielding Type:
- Data Rate Support:
- Conductor:
- Wiring Scheme:
- Usage:
- Highlight:

Cat6 Keyston	e Jack
RJ45 Female	

- Unshielded
- 10GBase-T
- 23-26AWG Cable
- T568A/T568B
- Telephone, Computer, Server
 - CAT.6 UTP Keystone Jack, White Keystone Jack, Slim Type Keystone Jack



More Images



Our Product Introduction

Product Description

Slim Type White CAT.6 UTP Keystone Jack With Dust Cover Cabling Modular Jacks

Cat6 Keystone Jacks offer exceptional interconnection in 10/100/1000 Base-T Fast and Gigabit Ethernet applications. These component-rated keystone jacks work together with high speed cables, cores and panels to provide performance beyond proposed category 6 standards, providing high-speed data transmission up to 1000 Mbps with CAT6 cables. And dust cover design protects RJ45 ports and gold-plated contacts from dust, lint, and debris, ensuring optimal connection quality. The cover also enhances the connector's tightness for secure connections.



Features:

- 1. 50u" gold plated contacts.
- 2. Utilizes 180 degree industry standard 110 termination style
- 3. Dual-color coded labeling made for both 568A & 568B wiring schemes
- 4. Compact design fits into any conventional face plate, outlet box, or panel
- 5. Compliant with EIA/TIA-568.2-D Cat6 connecting hardware specifications
- 6. Backward compatible
- Dust prevention

Opertaing Instructions:

Just cut the cable jacket and separate the wires, fasten each cord according to color code, push the cables into the ethernet jack, cut off any excess wires, place the cap, and done!



Specification:

grip

Use both sides of the cover to Push the cable tie in and lock it

Product Name	CAT.3/CAT.5e/CAT.6/CAT.6A/CAT.7/CAT.8 keystone jack
Product Color	Black, White, Silver, Blue, Yellow, Green, Red, Orange
Wiring Scheme	T568A/T568B

Complete

Housing Material	ABS/PC
Plating	3u inch, 6u inch, 10u inch, 15u inch, 20u inch, 30u inch, 50u inch
Working life	750 times Min for jack; 200times min for IDC
Humidity	10% ~ 90%RH
Temperature	-20°C~ 60°C
Voltage rating	125VCA RMS
Current rating	1.5Amp
Contact resistance	100 MILLIOHMS MAX
Insulation Resistance	1000 MEGOHMS MIN@500VDC
Certificate	ROHS

FAQ

Q1: What is the warranty of FiberMania's fiber patch cord?

A: FiberMania warrants that all fiber patch cords supplied are free from defects in material and workmanship for a period of five (5) years from the date of supply. All fiber optic bulk cables are UL profiled and every single cable is 100% tested.

Q2: Is it possible to customize our brand information on your fiber cable?

A: Yes, we can print your brand name onto our cable jacket and 1KM total cable length is requested.

Q3: Can you do 3D interferometer test?

A: Yes, we do the 3D test per our customer's request, we can have the pass rate over 90% and even 100% if necessary.

Q4: What is your MOQ of your products?

A: We only have MOQ for some special customized cable order, we request 1km as the total length of the bulk cable, you may consider stock the bulk cable with us for your urgent order production.

Q5: Are free samples available from you?

A: Yes, we are always happy to offer the free samples for all of our customers' projects provided that the total cost is under 50 US dollars.

Q6: Do you accept OEM and ODM orders?

A: Absolutely yes, we have been doing OEM services since we start in this business, and for every single label, printing, bag and carton design, we always treat it seriously and do it nicely. Our engineers can help you with your current design and even can open the new tooling for your specific project.

FIBERMANIA Shenzhen FiberMania Technology Co., Ltd.



sales@fiber-mania.com @ optical-fibercables.com

3F, Building A2, Yinlong Industrial Park, Longdong, Longgang District, Shenzhen, China, 518116