



FIBERMANIA

Shenzhen FiberMania Technology Co., Ltd.
optical-fibercables.com



Full Loaded 4 Port SC Simplex Type Plastic Housing Fiber Optic Termination Box

Our Product Introduction

for more products please visit us on optical-fibercables.com

Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: FIBERMANIA
- Certification: ISO, UL, CE, RoHS
- Model Number: FTB2-SC-4
- Minimum Order Quantity: 10 Pieces
- Price: Negotiable
- Packaging Details: 1 PC/Box
- Delivery Time: 7-10 working days
- Payment Terms: T/T, Western Union, L/C
- Supply Ability: 50000pieces/Year



Product Specification

- Model Number: 4 Port Fiber Termination Box
- Installation Type: Wall Mounted
- Material: ABS+PC
- Adapter Type: SC UPC
- Fiber Core: 4 Cores
- Waterproof Rate: IP65
- Dimension(mm): 210x140x40mm
- Connect Method: PLC Splitter/Pigtail Splicing
- Highlight: 4 Port Fiber Optic Termination Box,
Full Loaded Fiber Optic Termination Box,
Plastic Housing Fiber Optic Termination Box



More Images



Product Description

Full Loaded 4 Port SC Simplex Type Plastic Housing Fiber Optic Termination Box

Full Loaded 4 Port SC Simplex Type Plastic Housing Fiber Optic Termination Box is a plastic housing fiber optic terminal box designed for the distribution, connection, and terminal processing of optical fibers. It is equipped with 4 SC Simplex type adapter ports, which can meet the connection requirements of 4 optical fibers. This termination box are fully equipped simplex SC UPC adapter and single-mode fiber optic pigtail, which are used for fiber access terminals to connect optical fibers with other devices or networks, providing protection, organization, and management functions.

Application

1. To fix and splice pigtails
2. Can be installed on the wall
3. Applicable for various optical connection styles
4. FTTH network
5. CATV network
6. Telecommunication network
7. Indoor/Outdoor Installation

Features

1. Lightweight and durable
2. Protect and manage the optical cable
3. Waterproof and dustproof
4. Support MM or SM fiber connection
5. Customer defined specifications



Specifications

| | |
|----------------------|---------------|
| Work Temperature | -40 C ~+85 C |
| Relative Humidity | ≤ 85% (+30 C) |
| Atmospheric Pressure | 70Kpa~106Kpa |
| Insert Loss | ≤ 0.2dB |
| UPC Return Loss | ≥ 50dB |

| | |
|--------------------------|--------------|
| APC Return Loss | ≥ 60dB |
| Pull out Life Insulation | ≥ 1000 times |
| Box Size | 210x140x40mm |

FAQ

Q1: What is the warranty of FiberMania's fiber patch cord?

A: FiberMania warrants that all fiber patch cords supplied are free from defects in material and workmanship for a period of five (5) years from the date of supply. All fiber optic bulk cables are UL profiled and every single cable is 100% tested.

Q2: Is it possible to customize our brand information on your fiber cable?

A: Yes, we can print your brand name onto our cable jacket and 1KM total cable length is requested.

Q3: Can you do 3D interferometer test?

A: Yes, we do the 3D test per our customer's request, we can have the pass rate over 90% and even 100% if necessary.

Q4: What is your MOQ of your products?

A: We only have MOQ for some special customized cable order, we request 1km as the total length of the bulk cable, you may consider stock the bulk cable with us for your urgent order production.

Q5: Are free samples available from you?

A: Yes, we are always happy to offer the free samples for all of our customers' projects provided that the total cost is under 50 US dollars.

Q6: Do you accept OEM and ODM orders?

A: Absolutely yes, we have been doing OEM services since we start in this business, and for every single label, printing, bag and carton design, we always treat it seriously and do it nicely. Our engineers can help you with your current design and even can open the new tooling for your specific project.



FIBERMANIA Shenzhen FiberMania Technology Co., Ltd.



17704025189



sales@fiber-mania.com



optical-fibercables.com

3F, Building A2, Yinlong Industrial Park, Longdong, Longgang District, Shenzhen, China, 518116