

# 19" 1U CAT.6 UTP Fiber To Copper Patch Panel 24 Ports, Dual IDC, Black Color

## **Basic Information**

Packaging Details:

Place of Origin: Shenzhen, China
Brand Name: FIBERMANIA
Certification: CE, RoHS
Model Number: PP-C5F24SDB
Minimum Order Quantity: 1 Piece
Price: Negotiable

• Payment Terms: T/T, Western Union, L/C

1PC/Box

• Supply Ability: 1000 Pieces



## **Product Specification**

Category: CAT.6No. Of Ports: 24No. Of Rack Spaces: 1U

• Shielding Type: Unshielded

Material: SPCC + ABS Plastics

• Housing: 1.5mm SPCC

• Color: Black

• Wiring Scheme: T568A/T568B

• Type Of Patch Panel: Flat

Approvals: RoHS Compliant

• Highlight: 19" Fiber To Copper Patch Panel,

UTP Fiber To Copper Patch Panel, CAT.6 Fiber To Copper Patch Panel



## **Product Description**

### 19" 1U CAT.6 UTP Patch Panel, 24 Ports, Dual IDC, Black Color

This is a 19 inch rack mountable CAT6 24 port patch panel. The kit includes a new icon tag with plastic holders that you can mount panel port to the front of the for easy identification. Blank anodized panels can be mounted directly to a standard EIA 19 inch Relay port back or closet for easy identification.

The unshielded patch panels are loaded with unshielded keystone jacks, which are housed in a closure full shielding metal enclosure designed to meet the highest industry requirement. An Unshielded version is also available for maximum protection from EMI/RFI interference. By utilizing fully unshielded jacks and connecting hardware, you can reduce the effects of interference on the network data transmissions.


#### **Features**

- 1. 1U 19-inch rack mount (Mounting hardware included)
- 2. 24 PORT CAT6 PATCH PANEL: This patch panel enables quick, easy cable patching.WIRING
- 3. STANDARDS: it supports EIA/TIA 568A and 568B wiring standards and is compatible with all network applications



## **Application**

- 1. Gigabit Ethernet
- 2. LAN aggregation
- 3. Data center management
- 4. Equipment rooms
- 5. Wiring closets



## **Specifications**

Product	Cat3/Cat5e/Cat6/Cat6a Copper Patch Panel
Port Number	8, 12, 18, 24, 36, 48, 96port
Front Panel	Cold rolled steel
Plastic	High impact and flame retardant plastic, UL94V-0 rated
IDC Accept	22-26 AWG Solid Wire
Transmission Standards	ANSI/TIA-568.2-D   ISO/IEC 11801 Class E
Wiring	T568A   T568B
Insulation Resistance	Min.500 Mega Ohms
Contact Resistance	Max.20milli-Ohms
Dielectric Strength	750V AC RMS 60Hz 1min
Operating Temperature	-10 °C to +60 °C (+14 °F to +140 °F)
Storage Temperature	-40 °C to +70 °C (-40 °F to +158 °F)
Flammability Rating	UL 94 V-0

Q1: What is the warranty of FiberMania's fiber patch cord?

A: FiberMania warrants that all fiber patch cords supplied are free from defects in material and workmanship for a period of five (5) years from the date of supply. All fiber optic bulk cables are UL profiled and every single cable is 100% tested.

Q2: Is it possible to customize our brand information on your fiber cable?

A: Yes, we can print your brand name onto our cable jacket and 1KM total cable length is requested.

Q3: Can you do 3D interferometer test?

A: Yes, we do the 3D test per our customer's request, we can have the pass rate over 90% and even 100% if necessary.

Q4: What is your MOQ of your products?

A: We only have MOQ for some special customized cable order, we request 1km as the total length of the bulk cable, you may consider stock the bulk cable with us for your urgent order production.

Q5: Are free samples available from you?

A: Yes, we are always happy to offer the free samples for all of our customers' projects provided that the total cost is under 50 US dollars.

Q6: Do you accept OEM and ODM orders?

A: Absolutely yes, we have been doing OEM services since we start in this business, and for every single label, printing, bag and carton design, we always treat it seriously and do it nicely. Our engineers can help you with your current design and even can open the new tooling for your specific project.





sales@fiber-mania.com



e optical-fibercables.com

3F, Building A2, Yinlong Industrial Park, Longdong, Longgang District, Shenzhen, China, 518116