

# 2U 48 Port Cat6 UTP Network Patch Panel 10G Support UL Listed For 19" Rack Mount


# **Basic Information**

Place of Origin: Shenzhen, China
 Brand Name: FIBERMANIA
 Certification: CE, RoHS
 Model Number: PP-C6U48DBK

Minimum Order Quantity: 1 Piece
 Price: Negotiable
 Packaging Details: 1PC/Box

• Payment Terms: T/T, Western Union, L/C

• Supply Ability: 1000 Pieces



# **Product Specification**

Category: CAT.6No. Of Ports: 48No. Of Rack Spaces: 2U

• Shielding Type: Unshielded

Material: SPCC + ABS Plastics

• Housing: 1.5mm SPCC

• Color: Black

• Wiring Scheme: T568A/T568B

• Type Of Patch Panel: Flat

Approvals: RoHS Compliant

• Highlight: 19" Network Patch Panel,

10G Network Patch Panel, UL Listed Network Patch Panel



# More Images



# **Product Description**

### 2U 48 Port Cat6 UTP Network Patch Panel 10G Support UL Listed For 19" Rack Mount

The 2U 48-port patch panel is designed to support Cat6 cabling, while remaining fully compatible with Cat5e and Cat5, ensuring flexibility for various network setups.

This patch panel is constructed from cold-rolled steel with corrosion-resistant, gold-plated contacts, this cat 6 patch panel guarantees faster data transmission and enhanced durability

And this patch cable featuring a detachable rear cable management bar, this patch panel 48 port ensures secure cable positioning, reducing the risk of network issues caused by loose or misaligned cables. Ethernet patch panel is designed for ease of use, it offers generous cable space, clear front-and-back labeling, and numbered ports. The T568A and T568B wiring diagrams provide quick reference for simplified installation.

#### Features

- 1. Color Coded T568A/B Wiring Diagram Terminals
- 2. Compatible with Cat3,4,5,5e and 6 Cabling
- 3. User-Friendly Design
- 4. Suitable For 22-26 AWG Stranded And Solid CAT6 Cable
- 5. 19" Rack And Enclosure Mountable





## **Application**

- 1. Gigabit Ethernet
- 2. LAN aggregation
- 3. Data center management
- 4. Equipment rooms
- 5. Wiring closets



### **Specifications**

Product	Cat3/Cat5e/Cat6/Cat6a Copper Patch Panel
Port Number	8, 12, 18, 24, 36, 48, 96port
Front Panel	Cold rolled steel
Plastic	High impact and flame retardant plastic, UL94V-0 rated
IDC Accept	22-26 AWG Solid Wire
Transmission Standards	ANSI/TIA-568.2-D   ISO/IEC 11801 Class E
Wiring	T568A   T568B
Insulation Resistance	Min.500 Mega Ohms
Contact Resistance	Max.20milli-Ohms
Dielectric Strength	750V AC RMS 60Hz 1min
Operating Temperature	-10 °C to +60 °C (+14 °F to +140 °F)
Storage Temperature	-40 °C to +70 °C (-40 °F to +158 °F)
Flammability Rating	UL 94 V-0

#### Q1: What is the warranty of FiberMania's fiber patch cord?

A: FiberMania warrants that all fiber patch cords supplied are free from defects in material and workmanship for a period of five (5) years from the date of supply. All fiber optic bulk cables are UL profiled and every single cable is 100% tested.

Q2: Is it possible to customize our brand information on your fiber cable?

A: Yes, we can print your brand name onto our cable jacket and 1KM total cable length is requested.

# Q3: Can you do 3D interferometer test?

A: Yes, we do the 3D test per our customer's request, we can have the pass rate over 90% and even 100% if necessary.

#### Q4: What is your MOQ of your products?

A: We only have MOQ for some special customized cable order, we request 1km as the total length of the bulk cable, you may consider stock the bulk cable with us for your urgent order production.

#### Q5: Are free samples available from you?

A: Yes, we are always happy to offer the free samples for all of our customers' projects provided that the total cost is under 50 US dollars.

#### Q6: Do you accept OEM and ODM orders?

A: Absolutely yes, we have been doing OEM services since we start in this business, and for every single label, printing, bag and carton design, we always treat it seriously and do it nicely. Our engineers can help you with your current design and even can open the new tooling for your specific project.



