19inch 1U 24 Ports STP Staggered Blank Patch Panel For Cable Management

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 Piece
- Price:
- Packaging Details:
- Payment Terms:
- Supply Ability:
- Negotiable 1PC/Box T/T, Western Union, L/C

Product Specification

Type:

• No. Of Ports:

Blank Patch Panel 24 1U Shielded

1.5mm SPCC

T568A/T568B

Shenzhen, China

FIBERMANIA

BPP-SH-24-1U

1000 Pieces

CE, RoHS

- Material: SPCC + ABS Plastics
- Housing:

• Shielding Type:

• No. Of Rack Spaces:

- Color:
- Wiring Scheme:
- Type Of Patch Panel:
- nel: Flat RoHS Complia

Black

Highlight:

• Approvals:

RoHS Compliant 24 Ports Patch Panel, 19inch 1U Patch Panel, Cable Management Patch Panel



More Images

Our Product Introduction


Product Description

19inch 1U 24 Ports STP Staggered Blank Patch Panel For Cable Management

A blank keystone patch panel serves as a modular hub for structured cabling systems, offering adaptable network configuration during installations. Engineered for hybrid connectivity, its unloaded design accommodates customized combinations of CAT 5E, CAT 6/6A, fiber optic, and coaxial keystone jacks within a single unified interface. This future-proof solution enables seamless integration of multi-standard cabling infrastructures while maintaining optimal port density and rack management efficiency. The reinforced chassis ensures long-term durability, making it an ideal choice for tailoring enterprise-grade networks to evolving technical requirements.

Features

- 1. With earthing wire
- 2. Available types: 16 ports, 24 ports (1U) & 48 ports (2U)
- 3. Material: 1.5mm SPCC
- 4. Applied in 19" standard racks and enclosures
- 5. Accessories include cable ties & mounting screws
- 6. Compatible with most FiberMania's Keystone Jacks and Inline Couplers



Application

- 1. Gigabit Ethernet
- 2. LAN aggregation
- 3. Data center management
- 4. Equipment rooms
- 5. Wiring closets



Specifications

Product	Cat3/Cat5e/Cat6/Cat6a Copper Patch Panel
Port Number	8, 12, 18, 24, 36, 48, 96port
Front Panel	Cold rolled steel
Plastic	High impact and flame retardant plastic, UL94V-0 rated
IDC Accept	22-26 AWG Solid Wire
Transmission Standards	ANSI/TIA-568.2-D ISO/IEC 11801 Class E
Wiring	T568A T568B
Insulation Resistance	Min.500 Mega Ohms
Contact Resistance	Max.20milli-Ohms
Dielectric Strength	750V AC RMS 60Hz 1min
Operating Temperature	-10 °C to +60 °C (+14 °F to +140 °F)
Storage Temperature	-40 °C to +70 °C (-40 °F to +158 °F)
Flammability Rating	UL 94 V-0

Q1: What is the warranty of FiberMania's fiber patch cord?

A: FiberMania warrants that all fiber patch cords supplied are free from defects in material and workmanship for a period of five (5) years from the date of supply. All fiber optic bulk cables are UL profiled and every single cable is 100% tested.

Q2: Is it possible to customize our brand information on your fiber cable? A: Yes, we can print your brand name onto our cable jacket and 1KM total cable length is requested.

Q3: Can you do 3D interferometer test?

A: Yes, we do the 3D test per our customer's request, we can have the pass rate over 90% and even 100% if necessary.

Q4: What is your MOQ of your products?

A: We only have MOQ for some special customized cable order, we request 1km as the total length of the bulk cable, you may consider stock the bulk cable with us for your urgent order production.

Q5: Are free samples available from you?

A: Yes, we are always happy to offer the free samples for all of our customers' projects provided that the total cost is under 50 US dollars.

Q6: Do you accept OEM and ODM orders?

A: Absolutely yes, we have been doing OEM services since we start in this business, and for every single label, printing, bag and carton design, we always treat it seriously and do it nicely. Our engineers can help you with your current design and even can open the new tooling for your specific project.

0	17704025189	sales@fiber-mania.com	<i>e</i> (optical-fibercables.com